

PRODUCTION OF LOW ALPHA-OLEFIN POLYMER

Patent number: JP8301921
Publication date: 1996-11-19
Inventor: ARAKI YOSHITAKE; NAKAMURA HIROFUMI;
AOSHIMA NORIYUKI; OKANO TAKESHI; IWADA
SHINJI
Applicant: MITSUBISHI CHEM CORP
Classification:
- **international:** C08F4/69; C08F6/08; C08F110/02
- **europaean:**
Application number: JP19950110742 19950509
Priority number(s): JP19950110742 19950509

Abstract of JP8301921

PURPOSE: To remove the catalyst components from a liquid reaction product formed in the reaction for forming a low α -olefin polymer in the presence of a chromium-base catalyst.

CONSTITUTION: A reaction for forming a low α -olefin polymer is performed in a solvent in the presence of a catalyst comprising either a combination essentially consisting of a chromium compound (a), a nitrogenous compound (b) selected from the group consisting of amines, amides and imides and an alkylaluminum compound (c) or a combination containing these components and a halogen compound (d). The formed liquid reaction product is brought into contact with a carboxylic acid insoluble therein to remove the catalyst components from the liquid. In this way, the catalyst can be removed at good efficiency by a simple operation.

Data supplied from the **esp@cenet** database - Worldwide